

List of Applicants Found Eligible for Re-Draw for Selection of LPG Distributor

Name of Area/ Territory/ Regional Office: Rajkot Area Office (IOC)

Name of Location: MONPAR

Oil Company: IOC

Name of District: BHAVNAGAR

Category: SC

Type of Distributorship: GRAMIN

MKT Plan: 2017-18

S.NO.	NAME OF PERSON	FATHER / HUSBAND'S NAME	APPLICATION REFERENCE NO.
1	HARESHBHAI PREMJBHAI VIRAS	PREMJBHAI MAYABHAI VIRAS	IOC03113002024062017
2	JENTIBHAI ARVINDBHAI MAKWANA	ARVINDBHAI VASHRAMBHAI MAKWANA	IOC03113011010072017
3	ILABEN VALJBHAI RATHOD	VALJBHAI HARJBHAI RATHOD	IOC03113011210072017
4	RATHOD RAJUBHAI LAKHAMANBHAI	RAJUBHAI LAKHAMANBHAI RATHOD	IOC03113018613072017
5	BALABHAI PREMJBHAI BORICHA	PREMAJBHAI SAMATBHAI BORICHA	IOC03113016212072017
6	MILANKUMAR DAHYABHAI PARMAR	DAHYABHAI NAJABHAI PARMAR	IOC03113017213072017
7	BORICHA KALUBHAI TRIKAMBHAI	TRIKAMBHAI VALABHAI BORICHA	IOC03113019213072017
8	PANKAJKUMAR MAHESHBHAI BORICHA	MAHESHBHAI KARSHANBHAI BORICHA	IOC03113020113072017
9	RATHOD SHAILENDRA RAMJBHAI	RAMJBHAI MALABHAI RATHOD	IOC03113026814072017
10	MAHESHBHAI KARSHANBHAI BORICHA	KARSHANBHAI VALABHAI BORICHA	IOC03113031115072017
11	RATHOD DINESHBHAI JETHABHAI	JETHABHAI BHANABHAI RATHOD	IOC03113036315072017
12	BRIJESHKUMAR JESANGBHAI CHUDASAMA	JESANGBHAI MAVJBHAI CHUDASAMA	IOC03113039516072017
13	PRIYANKA JESANGBHAI CHUDASAMA	JESANGBHAI MAVJBHAI CHUDASAMA	IOC03113040016072017
14	ANILBHAI NARSHIBHAI SOLANKI	NARSHIBHAI MEGHJBHAI SOLANKI	IOC03113045616072017
15	PREMJBHAI RAMABHAI BARAIYA	RAMABHAI KHIMABHAI BARAIYA	IOC03113054917072017
16	HARESHKUMAR NANJBHAI SUMARA	NANJBHAI BHANABHAI SUMARA	IOC03113057217072017
17	RATHOD SURESHBHAI AMRUTLAL	RATHOD SURESHBHAI AMRUTLAL	IOC03113068916082017
18	BHARATBHAI NANJBHAI SOLANKI	NANJBHAI BHAYABHAI SOLANKI	IOC03113069016082017
19	PRAFULKUMAR PREMJBHAI MANGERA	PREMJBHAI CHANABHAI MANGERA	IOC03113072517082017

As this is a computer generated document, it does not require any signature.

Note:- If one candidate has submitted multiple applications for same location; only one application will be considered at the time of Draw.